


SAS are proud distributors of Orrcon Steel.....



Giving Steel A Real Edge.

MILD STEEL • SEMI BRIGHT


Round Tube




Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
12.7	SEMB	1.2	6100	3134	0.319	270
12.7	SEMB	1.6	6100	2207	0.453	270
16	SEMB	1.2	6100	2315	0.432	280
16	SEMB	1.6	6100	1733	0.577	280
16	SEMB	2.0	5550	1314	0.761	217
19	SEMB	1.2	6120	1934	0.517	169
19	SEMB	1.4	6100	1736	0.576	169
19	SEMB	1.6 or 2.0	6100 / 7620 / 6100	1431 1150	0.699 0.869	169
22.2	SEMB	0.9	7320	2105	0.475	150
22.2	SEMB	1.2	6100	1647	0.607	127
22.2	SEMB	1.4	6100	1400	0.714	127
22.2	SEMB	1.6	6100	1227	0.815	127
25.4	SEMB	1.2	6100	1437	0.696	91
25.4	SEMB	1.4	6100	1256	0.796	91
25.4	SEMB	1.6	6100	1101	0.908	91
25.4	HRSB	2.0	7320	808	1.237	91
28.6	SEMB	1.2 or 1.4	6100 / 6100	1290 1092	0.775 0.916	61/12761
28.6	SEMB	1.6	6100	987	1.013	61/127
31.8	SEMB	1.2	6100	1159	0.863	68
31.8	SEMB	1.6	6100	876	1.142	61
31.8	HRSB	2.0	7500	685	1.460	61
35	SEMB	1.2 1.6	6100/ 6500/ 6100	1049 778	0.953 1.286	61 61
38	SEMB	1.2 1.6	6100 / 6100	965 726	1.036 1.378	37/10537
38	SEMB	2.0	6100	537	1.863	37
41.3	SEMB	1.2	7200	888	1.126	37
41.3	SEMB	1.6	6300	666	1.501	37
44.5	SEMB	1.2	7320	820	1.220	68
44.5	SEMB	1.6	6100	623	1.604	37
47.6	SEMB	1.2	7100	779	1.284	19
47.6	SEMB	1.6	6100	580	1.725	19

MILD STEEL • SEMI BRIGHT


Round Tube - Cont.




Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
51	SEMB	1.2	6100	729	1.372	19
51	SEMB	1.4	6100	609	1.642	53
51	SEMB	1.6	6100	542	1.846	19
51	HRSB	2.0	6100	400	2.502	19
57	SEMB	1.2	6120	627	1.594	19
57	SEMB	1.6	6100	462	2.163	19
57	SEMB	2.0	6100	348	2.875	19
63.5	SEMB	2.0	6100	314	3.183	15
63.5	HRSB	2.0	6100	314	3.187	15
70	SEMB	1.6	6100	375	2.669	15
76.2	SEMB HRSB	1.6 or 2.0	6100	345 259	2.899 3.861	28/1928/19
90	SEMB	1.6	6000	291	3.441	15

MILD STEEL • SEMI BRIGHT**Square Tube**


Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
12.7x12.7	SEMB	1.6	6100	1946	0.509	400
16x16	SEMB	1.2	6100	1972	0.507	256
16x16	SEMB	1.4	6100	1603	0.624	256
16x16	SEMB	1.6	6100	1431	0.699	256
19x19	HRSB SEMB	2.0 or 1.2	4600/7800/6100	944 1589	1.059 0.629	169
19x19	SEMB	1.4 or 1.6	6100/6400/6100	1279 1195	0.782 0.837	169
20x20	SEMB	1.4	6100	1229	0.814	144
20x20	SEMB	1.6	6100	1064	0.940	144
22.2x22.2	SEMB	0.9	7000	1706	0.593	121
22.2x22.2	SEMB	1.2	6100	1290	0.775	121
22.2x22.2	SEMB	1.4	6100	1092	0.916	121
22.2x22.2	SEMB	1.6	6100	1015	0.985	121

MILD STEEL • SEMI BRIGHT**Square Tube - Cont.**


Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
25.4x25.4	SEMB	1.2	6100	1193	0.838	100
25.4x25.4	SEMB	1.4	6100	974	1.027	100
25.4x25.4	SEMB	1.6	6100	887	1.128	100
25x25	SEMB	1.2	6100	1145	0.873	100
25x25	SEMB	1.4	6100	974	1.027	100
25x25	SEMB	1.6	6100	837	1.195	100
31.8x31.8	SEMB	1.2	6100	915	1.093	64
31.8x31.8	SEMB	1.4	6100	777	1.287	64
31.8x31.8	SEMB	1.6	6100/7320	700	1.429	64
38x38	SEMB	1.6	6100/6400	566	1.766	49
50x50	SEMB	1.6	6100	428	2.334	25/36
55x55	SEMB	1.6	6100	382	2.615	25
60x60	SEMB	1.6	6100	347	2.879	16

MILD STEEL • SEMI BRIGHT**Rectangle Tube**


Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
25.4x12.7	SEMB	1.6	6100	1179	0.848	200
31.8x12.7	SEMB	1.6	6100	948	1.055	160
35x19 35x19	SEMB	1.2 1.6	6100	1117 833	0.895 / 1.200	91/9691/96
35.9x16.7	SEMB	1.2	6100	1159	0.863	98
38x25.4	SEMB	1.6	6100	701	1.426	70
50x20	SEMB	1.6	6100	607	1.647	60
50x25	SEMB	1.2 1.6	6525 / 7075 / 6100	771 / 576	1.297 / 1.737	50
51x31.8	HRSB	2.0	6100	387	2.584	40
51x31.8	SEMB	1.2 1.6	6300 / 6720 / 6100 / 7320	710 / 531	1.409 1.885	40
57x35	SEMB	1.6	7600	465	2.149	28
60x40	SEMB	1.6	6100	416	2.405	24
67x29	HRSB	2.0	7320	332	3.011	36
67x29	SEMB	2.0	7320	332	3.011	36
70x34	HRSB	2.0	6400	314	3.184	28
70x34	HRSB	2.3	6400	277	3.612	28

MILD STEEL • SEMI BRIGHT**Oval Tube**


Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
30.8x15.4 FS	SEMB	1.6	5640	1073	0.932	224
31.8 x 17.50 OV	SEMB	2.0	4400	808	1.237	120
40.5 x 15.25 FS	SEMB	1.6	6270	858	1.165	96
51x16 FS	SEMB	1.2	6100	942	1.062	80
51x16 FS	SEMB	1.6	6100/7320	694	1.440	80
75x16 FS	SEMB	1.6	6500	505	1.980	48

MILD STEEL • BRIGHT**Oval Tube**

Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
19x12.7 OV	MSBR	1.6	6360	1709	0.585	288
31.8x16 FS	MSBR	1.2	7200	1443	0.693	128
31.8x16 FS	MSBR	1.6	6100/7200	1053	0.949	128
31.8x17.5 OV	MSBR	1.6	6500	1066	0.938	120

MILD STEEL • BRIGHT**Round Tube**


Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
12.7	MSBR	0.9	5700	3610	0.277	270
16	MSBR	0.9	7200	2959	0.338	280
16	MSBR	1.6	5500	1727	0.579	280
19	MSBR	0.9	7200	2481	0.403	188
22.2	MSBR	2.0	6100/6200	919	1.088	127
25.4	MSBR	0.9	6100	1828	0.547	105
25.4	MSBR	1.2	7200	1443	0.693	105
38	MSBR	1.6	6100	713	1.403	37
63.5	MSBR	1.2	6100	561	1.781	15
63.5	MSBR	1.6	6100	416	2.405	15

MILD STEEL • GALVABOND - ZINC COATED**Round Tube**

Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
12.7	MSGB	0.9	6000	3623	0.276	270
16	MSGB	0.9 1.2 1.6	6400 / 7400 6150 / 7320 / 6100	2882 / 2257 2375	0.347 0.421 0.592	217
19	MSGB	0.9 1.2 1.6	6150 / 7550 6120 / 7320 6100	2410 / 1964 1477	0.415 0.509 0.677	188 169 169
22.2	MSGB	0.9	6150	2075	0.482	150
22.2	MSGB	1.2	6100	1672	0.598	127
22.2	MSGB	1.6	7320	1196	0.811	127
25.4	MSGB	0.9	6120	1783	0.561	105
25.4	MSGB	1.2	7320	1470	0.680	91
25.4	MSGB	1.6 2.0	6020 / 7010 / 6100	1036 785	0.965 1.274	91
28.6	MSGB	1.2	6700 / 7100	1261	0.793	61
31.8 31.8	MSGB	1.2 1.6	6120 / 7320 6100 / 7400	1131 834	0.884 1.199	61
38	MSGB	1.2	7420	944	1.059	37
38	MSGB	1.6	4520 / 6730	695	1.437	37
41.3	MSGB	1.6	7250	640	1.563	37
44.5	MSGB	1.2	6250	798	1.253	37
44.5	MSGB	1.6	6530	592	1.689	37
47.6	MSGB	1.6	7320	553	1.807	19
51	MSGB	1.2	6200	700	1.429	53
51	MSGB	1.6	6100	516	1.937	19
51	MSGB	2.0	6100	390	2.566	19
51	MSGB	2.5	6500	315	3.178	19
57	MSGB	1.6	6120	451	2.217	19
90	MSGB	1.6	6100	284	3.524	15

MILD STEEL • GALVABOND - ZINC COATED


Rectangle Tube



Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
25.4x12.7	HTGB	0.9	6600	1926	0.519	200
35x19 35x19	MSGB MSGB	1.6 2.0	6100/6700/6600	597 597	1.266 1.674	91 77
38x25.4 38x25.4	MSGB MSGB	1.2 1.6	5000/7500/6100/6120/7320/7500	897 688	1.115 1.453	70 70
50x10	MSGB	0.9	6100/6300	1208	0.828	125
50x25	MSGB	1.6	6100/6500	575	1.738	50
50x40	MSGB	1.2	6100	615	1.624	30
57x35	MSGB	1.6	6100/7320	451	2.218	28
63.5x38	MSGB	1.6	6100/7320	403	2.479	28
70x50	MSGB	1.6	6000	487	2.050	20
76x38	MSGB	1.6	6100/7320/8000	366	2.732	18
80x40 80x40	MSGB MSGB	1.6 2.0	6100/7320/6500	339 256	2.952 3.903	18 18

MILD STEEL • GALVABOND - ZINC COATED


Square Tube



Size mm	Material	Gauge (mm)	Length (mm)
12.7x12.7	MSGB	1.2	6100mm
16x16	MSGB	1.2	6150mm / 7320mm / 7350mm /
16x16	MSGB	1.6	6100mm
19x19	MSGB	1.6	7320mm
20 x 20	MSGB	1.2	6800mm
25.4 x 25.4	MSGB	1.6	6200mm / 6500mm / 7320mm

MILD STEEL • GALVABOND - ZINC COATED


Square Tube - Cont.



Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
30x30	MSGB	1.2	7320	938	1.066	64
30x30	MSGB	1.6	6000/6150/6500/7320	726	1.377	64
31.8x31.8	MSGB	1.2	7320	896	1.116	64
31.8x31.8	MSGB	1.6	7500	662	1.511	64
35x35	MSGB	1.2	6500	808	1.237	49
38x38	MSGB	1.6	6100	552	1.811	49
40x40	MSGB	1.6 2.0	6100/6500/7320/6500	516 390	1.932 2.564	36 36
41x41	MSGB	2.0	7230	395	2.529	36
45x45	MSGB	1.6	6100	454	2.204	36
50x50	MSGB	1.6 2.0	6000/6100/6300/6500/7320/6100/8000	408 308	2.450 3.247	25 25
60x60	MSGB	1.6	6100/7320	339	2.952	16
65x65	MSGB	1.6 2.5	6300/7320/6300/7320	312 189	3.204 5.278	16 16

MILD STEEL • GALVABOND - ZINC COATED


Oval Tube




Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
31.8x16 OV	MSGB	1.6	6100	1054	0.949	128
51x16 FS	MSGB	1.6	6100	677	1.477	80
61.8x29.6 OV	MSGB	1.6	7100	550	1.817	36
75x16 FS	MSGB	1.0	6100	708	1.411	48

MILD STEEL • BLACK


Round Tube



Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
19	MSBL	1.6	6100	1403	0.713	169
19	MSBL	2.0	6200	1075	0.931	169
25.2	MSBL	3.0	5400	542	1.844	91
25.4	MSBL	1.6	6150	1042	0.962	91
25.4	MSBL	2.0	6500	800	1.250	91
31.8	MSBL	1.6	7320	840	1.191	61
31.8	MSBL	2.0	6500	647	1.545	61
38	MSBL	2.0	6100	533	1.877	37
38	MSBL	2.5	6100	449	2.225	37
38	MSBL	3.0	3100	367	2.723	37
41.3	MSBL	3.0	6100	339	2.946	37
44.5	MSBL	2.0	6500/7000	452	2.211	37
44.5	MSBL	2.5	7000	382	2.615	37
51	MSBL	1.6	6100	517	1.933	19
51	MSBL	2.5	6400/7320	320	3.119	19
51	MSBL	3.0	7000	269	3.712	19
57	MSBL	2.0	6100	345	2.897	19
63.5	MSBL	2.0	6100	311	3.212	15

MILD STEEL • BLACK**Square Tube**


Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
19x19	MSBL	1.6	6500	1092	0.916	169
19x19	MSBL	2.5	7800	713	1.401	169
25.4x25.4	MSBL	1.6 2.0	6100/73206500	820 651	1.220 1.536	100
25.4x25.4	MSBL	2.5	6500	530	1.885	100
30x30	MSBL	1.6	6150/7320	698	1.429	64
31.8x31.8	MSBL	1.6	6700	661	1.509	64
31.8x31.8	MSBL	2.0 2.5	6100/73207320	509 434	1.961 2.305	64
35x35	MSBL	1.6	6500	598	1.672	49
35x35	MSBL	2.0	7250	460	2.172	49
38x38	MSBL	1.6	6100	555	1.803	49
38x38	MSBL	2.0	7500	426	2.350	49
38x38	MSBL	2.5	6500	356	2.809	49
40x40	MSBL	1.6	7320	518	1.929	36
40x40	MSBL	2.5	7900	334	2.994	30
45x45	MSBL	1.6	7000	457	2.187	36
45x45	MSBL	2.5	6500	295	3.395	36
50x50	MSBL	1.6 2.0 2.5	6100/73206100 6100	410 313 263	2.440 3.191 3.974	25/3025/3025
50x50	MSBL	3.0	6500	210	4.761	25
65x65	MSBL	2.0	8000	240	4.157	16
65x65	MSBL	3.0	6500	162	6.187	16

MILD STEEL • BLACK**Rectangle Tube**

Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
35x19	MSBL	2.0	6500	608	1.645	91
38x25.4	MSBL	1.6	6100/7320	661	1.512	56
50x20	MSBL	2.0	6350	452	2.211	60
50x25	MSBL	1.6	6100	564	1.774	50/48
50x25	MSBL	2.0	7000	432	2.313	50
50x25	MSBL	2.5	7320	363	2.757	50
57x35	MSBL	1.6	7320	455	2.197	28
57x35	MSBL	2.0	7500	347	2.879	28
57x35	MSBL	2.5	7320	295	3.391	28
63.5x38	MSBL	2.0	8000	313	3.196	28
80x40	MSBL	1.6	6450	341	2.934	18
80x40	MSBL	2.5	7500	223	4.484	18
80x40	MSBL	3.0	6420	176	5.686	18

MILD STEEL • ALUMINIUM COATED

Round Tube



Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
19	ACMS	1.2	6100/6400	1773	0.564	169
31.8	ACMS	1.6	6100	802	1.247	61
35	ACMS	1.2	6100	995	1.005	61
35	ACMS	1.6	6100	745	1.341	61
38	ACMS	0.9	6100	1164	0.859	105
38	ACMS	1.2	5800	872	1.146	37
38	ACMS	1.6	6100	684	1.462	37
41.3	ACMS	1.2	6100	847	1.180	37
41.3	ACMS	1.6	6100	614	1.629	37
44.5	ACMS	1.2	6100	745	1.343	68
44.5	ACMS	1.6	6100	565	1.772	37
47.6	ACMS	1.6	6100	531	1.883	37

MILD STEEL • ALUMINIUM COATED

Round Tube - Cont.



Size mm	Material	Gauge	Length (mm)	Mtrs/Tonne	kgs/Mtrs	Pack Size
51	ACMS	1.2	6100	657	1.521	53
51	ACMS	1.6	6000/6100	496	2.015	19
54	ACMS	1.6	6100	479	2.087	18
57	ACMS	1.2	6100	571	1.750	39
57	ACMS	1.6	6100	431	2.320	19
57	ACMS	2.0	6100/7000	364	2.746	19
60.3	ACMS	1.6	6100	423	2.365	19
63.5	ACMS	1.6	6100	388	2.578	15
63.5	ACMS	2.0	6100	329	3.043	15
76.2	ACMS	1.6	6100	322	3.008	28
85	ACMS	1.6	6050	289	3.464	15

ORRCON MILD STEEL FLAT BAR

10x3	1010	4000	4348	0.220	500
13x3	1010	4000	3334	0.291	500
13x5	1010	4000	2128	0.468	500
13x6	1010	4000	1819	0.552	500
16x3	1010	4000	2778	0.362	500
16x4	1010	4000	2105	0.475	500
16x5	1010	4000	1706	0.586	500
16x6	1010	4000	1326	0.754	500
20x3	1010	4000	2193	0.456	500
20x5	1010	4000	1345	0.743	500
20x7	1010	4000	910	1.099	500
25x3	1010	4000	1742	0.574	500
25x5	1010	4000	1064	0.939	500
32x3	1010	4000	1355	0.738	500
6x6	1010	4000	3534	0.283	500
8x8	1010	4000	1988	0.503	500
13x13x3 angle	1010	4000	1795	0.557	500
16x16x3 angle	1010	4000	1462	0.684	500

MILD STEEL • GALVABOND

†

Square Fence Posts

Size mm	Material	Guage	Length (mm)	Description
50 x 50	MSGB	1.6	1500	POST
50 x 50	MSGB	1.6	1800	POST
50 x 50	MSGB	1.6	2100	POST
50 x 50	MSGB	1.6	2400	POST

MILD STEEL • GALVABOND

†



Profile Tubing

Description	Size mm	Material	Gauge
HAND RAIL	50.8	MSGB/MSBL	1.6

TUBING ACCESSORIES

Description	Size mm	Finish
POST CAP	50 x 50	GALVANISED
POST CAP	50 x 50	PLASTIC FLAT
POST CAP	51	ROUND GALVANISED
POST CAP	57	ROUND GALVANISED
POST CAP	57 x 35	GALVANISED
POST CAP	57 x 35	PLASTIC
POST CAP	40 x 40	PLASTIC
FENCE RAIL BRACKET		
FENCE RAIL JOINER		

STRUCTURAL TUBE

Please email or telephone us for structural sizes and availability.